



GMAX™

gas-powered airless sprayers



*Unmatched productivity,
reliability and performance.*



PROVEN QUALITY. LEADING TECHNOLOGY.

The Best Just Got Better!


Introducing the Improved GMax.

Graco's GMax gas-powered airless sprayers have always been the industry's top performers. Now, with innovative features and groundbreaking enhancements, the GMax just got better!



SmartControl™ Microprocessor

- Monitors the system
- Provides consistent spraying pressure
- Ensures maximum performance and reliability with all materials



EasyOut™ Filter

- Cleans from the inside out
- Never gets stuck
- Larger filtering area

Advantage Drive™ System

Heavy-Duty Clutch

- Automatically adjusts and aligns for long life and maximum performance

Hardened Helical Gears

- Proven durability with quiet, efficient operation


Endurance™ Piston Pump with Xtreme™ Pump Rod

- Lasts up to 3 times longer than chromed stainless steel rods
- Sets the industry standard for convenience and ease of use

Optional AutoClean™ Accessory Kit*

- Reverse Flushes the sprayer and shuts off automatically
- Cleans debris and paint from filters without removal
- Reduces mess during clean-up

** AutoClean Kit sold separately*



WatchDog™ Pump Protection System

- Automatically shuts the pump off when material runs out
- Eliminates pump runaway
- Prevents damage caused by running a dry pump

SmartControl™ Digital Tracking System

Valuable information at your fingertips!

The SmartControl Digital Tracking System monitors the system to ensure that your GMax functions optimally. SmartControl also tracks essential job details and makes them easy to view on a large LCD display, putting all the information you need your fingertips!

The **Pressure Monitor** feature allows you to recall previous pressure settings and quickly adjust pressure for new coatings.



The resettable **Job Gallon Counter** keeps track of how much paint you use on the job. Easily track your material usage by individual jobs or multiple projects.



The **Lifetime Gallon Counter** calculates the number of gallons used throughout the sprayer's lifetime, allowing you to monitor the life of the sprayer and schedule routine maintenance.



The **AutoClean Shutoff Timer** works with the optional AutoClean Reverse Flushing System to make cleaning your sprayer hassle-free.



WatchDog™ Pump Protection System

Prevents the damaging effects of dry pumping! WatchDog automatically shuts the pump down when material runs out to eliminate pump runaway.

Activate WatchDog through the SmartControl Digital Tracking System when you'll be too far away to monitor your sprayer. WatchDog will take care of the rest!



Exceptional Performance

Maximize your productivity.

We've upgraded GMax in several key areas, making it the only choice where you need performance, productivity and reliability the most - on the jobsite.

MAXIMUM COVERAGE

Performance ratings based on 2000 psi (140 bar, 14.0 MPa) and latex.


SUPPORTS

GM3000	0.62 GPM (2.4 LPM)	.025 TIP!
GMax 3900	1.15 GPM (4.4 LPM)	.034 TIP!
GMax 5900	1.5 GPM (5.7 LPM)	.041 TIP!
GMax 7900	2.1 GPM (7.9 LPM)	.046 TIP!

MAXIMUM PUMP LIFE

The Endurance Piston Pump lasts up to 65% longer (thousands of additional gallons) before repacking relative to comparative models.

NEW GMax	
OTHER COMPARATIVE MODELS	



The Endurance Piston Pump™

Longer Life for Outstanding Productivity

The New Xtreme Pump Rod with Plasma™ technology lasts up to 3 times longer than chromed stainless steel rods, which means you'll get increased productivity and longer life from your GMax sprayer!


- A Spacer Ring and Adjustable Packing Nut
- B QuikChange™ Pump Section
- C New Xtreme™ Pump Rod with Plasma Technology
- D Max Flo™ Fluid Passages
- E QuikOut™ Sleeved Cylinder
- F QuikAccess™ Intake Valve
- G Wiper Ring Packing
- H Reversible Inlet Seat

QuikChange Pump Section quickly knocks off using only a hammer, making it easier to access and allowing quick on-the-job maintenance.



Upgrade your GMax sprayer with the Revolutionary AutoClean accessory (purchase separately). Simply screw the gun into the AutoClean valve, set the AutoClean timer and walk away. The sprayer flushes itself! You'll have extra time to reload ladders, drop cloths and complete other jobsite tasks.


5 EASY STEPS!




Remove the tip and guard from the gun and open the prime valve.



Screw the gun into the AutoClean Valve.



Once connected, push and twist to lock open the AutoClean Valve.



Lock the gun trigger into the open position with the trigger clamp provided.



Set the AutoClean Shut-off Timer and walk away. AutoClean flushes the sprayer then shuts off automatically.

It's that easy!



GMax 5900 shown with optional AutoClean Accessory Kit in operation.



Simply remove the plug and thread in the AutoClean valve to make cleaning your GMax a snap!

Innovative new features make GMax the easiest to use sprayers in the industry! From transport to clean-up and everything in between, make the most of your work day with GMax!



SmartControl's easy-to-read display and straightforward controls make your job easier in every aspect, from estimating to clean-up.

The GMax 5900 Convertible –
Switch from gas to electric with just a twist and a pull.



Innovative Tension Bar
• Insures appropriate tensioning even as belt wears
• No adjustments needed

Maneuverability is key on the jobsite. Large tires allow you to effortlessly navigate your GMax around even the most cluttered areas so you can start working sooner.

Slide rail cart design allows easy one-man loading and unloading.

Wind up up to 300 feet (91.5 m) of hose around the cart's built-in handle; no more dragging heavy paint hose with you wherever you go!

Hi-Boy Pail Hook
Easily transport material containers.



CHOOSE THE MODEL THAT'S RIGHT FOR YOU!

GMax 3900 Hi-Boy
233701

GMax 3900 Lo-Boy
233700

GMax 5900 Hi-Boy
233706

GMax 5900 Lo-Boy
233705



GMax 3900

Residential and light commercial jobs. Sprays stains, light specialty coatings, latex, enamels and light elastomerics.

233700	Bare Sprayer, Lo-Boy
233701	Bare Sprayer, Hi-Boy
233702	Complete Sprayer, Lo-Boy
233703	Complete Sprayer, Hi-Boy

GMax 5900

Medium to large residential and commercial jobs. Sprays stains, light specialty coatings, latex, enamels, light elastomerics and heavy blockfillers.

233705	Bare Sprayer, Lo-Boy
233706	Bare Sprayer, Hi-Boy
233707	Complete Sprayer, Lo-Boy
233708	Complete Sprayer, Hi-Boy

GMax 5900 Convertible

Medium to large residential and commercial jobs. Easily converts to a DC electric-powered unit for interior applications. Sprays same materials as the 5900 listed above.

233709	Bare Sprayer, Hi-Boy, Gas-Powered
233710*	Complete Sprayer, Hi-Boy, Gas-Powered
233711	Bare Sprayer, Hi-Boy, Gas-Powered with electric motor kit (non CSA certified)
233712	Bare Sprayer, Hi-Boy, Gas-Powered with electric motor kit (CSA version)
233713	Bare Sprayer, Lo-Boy, Gas-Powered
233714*	Complete Sprayer, Lo-Boy, Gas-Powered
233715	Bare Sprayer, Lo-Boy, Gas-Powered with electric motor kit (non CSA certified)
245095	Electric Motor Kit
245096	Electric Motor Kit (CSA version)

GMax 5900HD

Medium to large residential and commercial jobs. Sprays elastomerics, blockfillers, gypsum based products, drywall mud finishing, joint/nail filling and skim coating.

233716	Bare Sprayer, Hi-Boy
--------	----------------------

GMax 7900**

Large residential, commercial and industrial jobs. Sprays all architectural coatings including mastics.

233718	Bare Sprayer, Lo-Boy
233719	Bare Sprayer, Hi-Boy
233720	Complete Sprayer, Lo-Boy
233721	Complete Sprayer, Hi-Boy

Complete sprayers include: 1/4 in x 50 ft (6.35 mm x 15.2 m) BlueMax™ Hose, and Contractor™ gun with Reverse-A-Clean® (RAC) IV 517 SwitchTip and DripLess™ Tip Guard. Unless otherwise noted.

- * Complete with gun and hose, but does not include electric motor kit.
- ** 7900 is complete with all listed above except 3/8 in x 50 ft (9.5 mm x 15.2 m) BlueMax hose.

WE BUILD IT. WE BACK IT. PERIOD.

- Easy-to-use warranty. No complicated paperwork!
- See instruction manual for full warranty*.
- 2-Year Bumper-to-Bumper Warranty**
 - We repair or replace any defective bare sprayer component for the original owner.
 - Fluid pump components (parts and labor) limited to one-time replacements. Consumable items (filters, tips, etc.) are not covered.
 - Lifetime warranty on gear train and electric motor (excluding brushes).
- 30-Day "Just Add Paint" Replacement Guarantee**
 - Satisfied? If not, simply return sprayer within 30 days to your purchase place. Exchange it for an identical unit or trade-up to a larger unit at an additional cost.

Highest Resale Value

- Graco Sprayers typically receive a 20-30% higher resale value over competitors.

Downtime Eliminator™ Program

- Needed part (for warranty repair) not in your distributor's stock? Get FREE, next business day delivery, when distributor orders by 2 p.m. CST.
- Quik-Parts Plus Program offers 250+ parts 100% in stock.

Large Distributor Network

- 440+ certified service centers and 5400+ distributor locations for quick service with Graco parts, accessories and equipment in stock.

Assistance is just a phone call away

- Call 1-800-690-2894 for Customer Service.

* Outside the U.S. and Canada, not all conditions of the extended warranty may apply. Contact your local distributor for complete details.

GMax 5900 Gas Convertible
233709

GMax 5900HD
233716

GMax 7900 Hi-Boy
233719

GMax 7900 Lo-Boy
233718



ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology which set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO HEADQUARTERS

AMERICAS

MINNESOTA
Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

MAILING ADDRESS
P.O. Box 1441
Minneapolis, MN 55440-1441
Tel 612 623-6000
Fax 612 623-6777

MICHIGAN
Automotive Headquarters
and Sales Office
47800 Halyard Drive
Plymouth, MI 48170
Tel 734 416-3400
Fax 734 416-3441

EUROPE

BELGIUM
European Headquarters
Graco N.V.
Industrieterrein - Oude Bunders
Slakweidestraat 31
3630 Maasmechelen, Belgium
Tel 32 89 770 700
Fax 32 89 770 777

ASIA PACIFIC


JAPAN
Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel 81 45 593 7300
Fax 81 45 593 7301

CHINA
Graco Hong Kong Ltd.
Representative Office,
Room 118, 1st Floor
No. 2 Xin Yuan Building
No. 509 Cao Bao Road
Shanghai, P.R.China 200233
Tel: 86 21 649 50088
Fax: 86 21 649 50077

KOREA
Graco Korea Inc.
3rd Fl., Doorim Bldg.
164-21 Poi-Dong,
Kangnam-Ku
Seoul, Korea 135-260
Tel 82 2 575-8901
Fax 82 2 571-9422

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

Graco Inc. is registered to I.S. EN ISO 9001



Sales/Distribution Toll Free, North America
800-690-2894
FAX 800-334-6955
www.graco.com



GRACO INC.
P.O. Box 1441
Minneapolis, MN 55440-1441